

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the [interactive fault map](#).

Sierra Madre fault zone, Sierra Madre D section (Class A) No. 105f

Last Review Date: 2000-06-01

citation for this record: Treiman, J.A., compiler, 2000, Fault number 105f, Sierra Madre fault zone, Sierra Madre D section, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, <https://earthquakes.usgs.gov/hazards/qfaults>, accessed 12/14/2020 02:20 PM.

Synopsis

General: In general the Sierra Madre-Cucamonga fault zone marks the southern margin of uplift of the San Gabriel Mountains, although the Santa Susana fault extends the zone of south-vergent uplift west of these mountains. Only local portions of the fault zone have had detailed paleoseismic investigations, and those have had fairly limited results. Published slip rates vary widely along the fault zone. The best-understood part of the fault is the easternmost section, the Cucamonga fault zone, with excellent geomorphic expression, several trenches, and age control from radiocarbon and soil stratigraphic studies. These studies have demonstrated multiple Holocene events on several strands of the Cucamonga fault and a minimum slip rate of 4.5 mm/yr. Two studies on the central and eastern portions of the Sierra Madre fault zone have indicated that recurrence intervals between large events (M greater than or equal to 7) seem to be long (perhaps 7–

8 k.y. or longer). The slip rate on the Sierra Madre fault appears to be considerably less than the Cucamonga fault, perhaps as low as 1 mm/yr or less. Studies on the San Fernando fault zone indicate a somewhat shorter recurrence interval of perhaps as much as 4,000 yr. The Santa Susana fault is less well understood, but has been inferred to have a slip rate greater than 5 mm/yr.

Sections: This fault has 8 sections. The Santa Susana, San Fernando, Sierra Madre and Cucamonga fault zones are four basic units of this fault zone. Santa Susana, itself, has been divided structurally into three parts (Yeats, 1987 #6113; Yeats and others, 1994 #6114, see discussion of section 105a) but is treated here as one section. The Sierra Madre fault zone, along with the San Fernando fault zone, has been divided into three to seven elements. Segmentation of the Sierra Madre fault has been proposed based on the identification of several, convex-to-the-south, "salients" (Proctor and others, 1972 #6100; Ehlig, 1975 #6088; Wesnousky, 1986 #5305; Petersen and Wesnousky, 1994 #5962). However, it has not been demonstrated that rupture would be restricted to an individual segment in an earthquake. Sierra Madre segment A (Wesnousky, 1986 #5305) is not considered by Crook and others (1987 #5956) as part of the Sierra Madre fault zone, but rather is called the Vasquez Creek fault (after Miller, 1928 #5961), a southern branch of the San Gabriel fault. Segments B through E of Wesnousky (1986 #5305) after Proctor and others (1972 #6100) and Ehlig (1975 #6088) are retained in this compilation as sections. Morton and Matti (1987 #6099) discuss possible segmentation of the Cucamonga fault zone (but it is treated here as one section). Walls and others (1997 #6110) suggest at least two and possibly three segments for the San Fernando-Sierra Madre-Cucamonga fault zone (San Fernando, Sierra Madre and Cucamonga) based on differing uplift rates. In support of a lesser number of segments, Tucker and Dolan (2001 #6107) suggest that the entire Sierra Madre section, from Altadena to San Dimas, may rupture in single events.

**Name
comments**

General:

Section: Originally distinguished as segment D by Wesnousky (1986 #5305); includes Duarte fault (Crook and others, 1987 #5956). Section trends easterly from Santa Anita Canyon to Big Dalton Canyon.

Fault ID: Refers to numbers 344 (Santa Susana fault), 355 (unnamed faults), 356 (San Fernando fault), 357 (Sierra Madre

	fault), 385 (Clamshell and Sawpit Canyon faults), 395 (Duarte fault), and 399 (Cucamonga fault) of Jennings (1994 #2878). Also refers to numbers 68 (Santa Susana fault), 69 (San Fernando fault), 83 (Sierra Madre fault), 84 (Duarte fault), 85 (Clamshell-Sawpit fault zone), and 86 (Cucamonga fault) of Ziony and Yerkes (1985 #5931).
County(s) and State(s)	LOS ANGELES COUNTY, CALIFORNIA
Physiographic province(s)	PACIFIC BORDER
Reliability of location	Poor Compiled at 1:750,000 scale. <i>Comments:</i> Location taken from 1:750,000 map of Jennings (1994 #2878).
Geologic setting	Sierra Madre fault zone, within the eastern part of the Transverse Ranges, refers to the entire 125-km-long complex zone of mechanically related thrust and reverse faults that grossly demarcate the base of the San Gabriel Mountains from San Fernando Pass on the west to Cajon Pass on the east, and also includes the Santa Susana fault to the west (Ehlig, 1975 #6088; Crook and others, 1987 #5956; Morton and Matti, 1987 #6099; Yeats, 1987 #6113). Reverse slip on this fault zone has contributed to the 2–3 km elevation of the mountain range (Walls, 2001 #6109).
Length (km)	This section is 16 km of a total fault length of 128 km.
Average strike	N76°W (for section) versus N86°W (for whole fault)
Sense of movement	Thrust <i>Comments:</i> Reverse sense of movement reported by Ziony and Yerkes (1985 #5931).
Dip	less than or equal to 55° N <i>Comments:</i> From Crook and others (1987 #5956); Duarte fault has steep dips (Ziony and Yerkes, 1985 #5931).
Paleoseismology	

studies	
Geomorphic expression	Scarps; abrupt mountain front.
Age of faulted surficial deposits	Fault strands displace Quaternary units 3&4. Unit 3 is 11-200 ka, unit 4 is >200 ka; Pleistocene Saugus Formation; Duarte fault may deform Quaternary unit 2 (1-11 ka) (Crook and others, 1987 #5956).
Historic earthquake	
Most recent prehistoric deformation	latest Quaternary (<15 ka) <i>Comments:</i> Data are poorly constrained within range of 11-200 ka, but are probably toward the young end, based on Holocene activity of either end of the fault zone.
Recurrence interval	0.38-5 ky <i>Comments:</i> 520 yr (calculated from assumed slip per event and slip rate Dolan and others, 1995 #5965).
Slip-rate category	Between 1.0 and 5.0 mm/yr <i>Comments:</i> Data to determine slip rate for this fault do not exist. However, Working Group on California Earthquake Probabilities (1995 #4945) assume a rate of 4.0±2.0 mm/yr, which was extrapolated from the Cucamonga fault [105h]. Slip rate assigned by Petersen and others (1996 #4860) for probabilistic seismic hazard assessment for the State of California was 3.0 mm/yr (with minimum and maximum assigned slip rates of 2.0 mm/yr and 4.0 mm/yr, respectively).
Date and Compiler(s)	2000 Jerome A. Treiman, California Geological Survey
References	#6080 Arnold, R., and Strong, A.M., 1905, Some crystalline rocks of the San Gabriel Mountains, California: Geological Society of America Bulletin, v. 16, p. 183-204. #5956 Crook, R., Jr., Allen, C.R., Kamb, B., Payne, C.M., and Proctor, R.J., 1987, Quaternary geology and seismic hazard of the Sierra Madre and associated faults, western San Gabriel Mountains, <i>in</i> Recent reverse faulting in the Transverse Ranges, California: U.S. Geological Survey Professional Paper 1339, p. 27-63, scale 1:24,000.

#5965 Dolan, J.F., Sieh, K., Rockwell, T.K., Yeats, R.S., Shaw, J., Suppe, J., Huftile, G.J., and Gath, E.M., 1995, Prospects for larger or more frequent earthquakes in the Los Angeles metropolitan region: *Science*, v. 267, p. 199-205.

#6088 Ehlig, P.L., 1975, Chapter 2-Geologic framework of the San Gabriel Mountains, *in* Oakeshott, G.B., ed., San Fernando, California, earthquake of 9 February 1971: *California Division of Mines and Geology Bulletin* 196, p. 7-18.

#6093 Jahns, R.H., and Proctor, R.J., 1975, The San Gabriel and Santa Susana—Sierra Madre fault zones in the western and central San Gabriel Mountains, southern California: *Geological Society of America Abstracts With Programs*, v. 7, no. 3, p. 329.

#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: *California Division of Mines and Geology Geologic Data Map* 6, 92 p., 2 pls., scale 1:750,000.

#6014 Kew, W.S.W., 1924, Geology and oil resources of a part of Los Angeles and Ventura Counties, California: *U.S. Geological Survey Bulletin* 753, 202 p.

#5961 Miller, W.J., 1928, Geomorphology of the southwestern San Gabriel Mountains of California: *University of California, Bulletin of the Department of Geological Sciences*, v. 17, no. 6, p. 193-240.

#6099 Morton, D.M., and Matti, J.C., 1987, The Cucamonga fault zone—Geologic setting and Quaternary history, *in* *Recent reverse faulting in the Transverse Ranges, California*: *U.S. Geological Survey Professional Paper* 1339, p. 179-203, scale 1:24,000.

#5962 Petersen, M.D., and Wesnousky, S.G., 1994, Review, fault slip rates and earthquake histories for active faults in southern California: *Bulletin of the Seismological Society of America*, v. 84, no. 5, p. 1608-1649.

#4860 Petersen, M.D., Bryant, W.A., Cramer, C.H., Cao, T., Reichle, M.S., Frankel, A.D., Lienkaemper, J.J., McCrory, P.A., and Schwartz, D.P., 1996, Probabilistic seismic hazard assessment for the State of California: *California Department of*

Conservation, Division of Mines and Geology Open-File Report 96-08 (also U.S. Geological Open-File Report 96-706), 33 p.

#6100 Proctor, R.J., Crook, R., Jr., McKeown, M.H., and Moresco, R.L., 1972, Relation of known faults to surface ruptures, 1971 San Fernando earthquake, southern California: Geological Society of America Bulletin, v. 83, p. 1601-1618.

#6107 Tucker, A.Z., and Dolan, J.F., 2001, Paleoseismologic evidence for a >8 ka age of the most recent surface rupture on the eastern Sierra Madre fault, northern Los Angeles metropolitan region, California: Bulletin of the Seismological Society of America, v. 91, p. 232-249.

#6109 Walls, C.P., 2001, Late Quaternary uplift gradient along the Sierra Madre-Cucamonga fault zone, central Transverse Ranges, southern California—Evidence from alluvial fan and soil morphology: San Diego State University, unpublished M.S. thesis, 131 p.

#6110 Walls, C., Rockwell, T., Pfanner, J., Bornyasz, M., and Lindvall, S., 1997, Uplift gradient along the Sierra Madre-Cucamonga fault zone, Los Angeles, California: Geological Society of America Abstracts with Program, v. 29, no. 5, p. 72.

#5305 Wesnousky, S.G., 1986, Earthquakes, Quaternary faults, and seismic hazards in California: Journal of Geophysical Research, v. 91, no. B12, p. 12,587-12,631.

#1355 Wesson, R.L., Page, R.A., Boore, D.M., and Yerkes, R.F., 1974, Expectable earthquakes and their ground motions in the Van Norman Reservoirs area, *in* The Van Norman Reservoirs areas, northern San Fernando Valley, California: U.S. Geological Survey Circular 691-B, p. B1-B9.

#4945 Working Group on California Earthquake Probabilities, 1995, Seismic hazards in southern California—Probable earthquakes, 1994 to 2024: Bulletin of the Seismological Society of America, v. 85, no. 2, p. 379-439.

#6113 Yeats, R.S., 1987, Late Cenozoic structure of the Santa Susana fault zone, *in* Recent reverse faulting in the Transverse Ranges, California: U.S. Geological Survey, Professional Paper 1339, p. 137-160, scale 1:48,000.

#6114 Yeats, R.S., Huftile, G.J., and Stitt, L.T., 1994, Late Cenozoic tectonics of the east Ventura Basin, Transverse Ranges, California: American Association of Petroleum Geologists Bulletin, v. 78, p. 1040–1074.

#5931 Ziony, J.I., and Yerkes, R.F., 1985, Evaluating earthquake and surface faulting potential, *in* Ziony, J.I., ed., Evaluating earthquake hazards in the Los Angeles region— An earth-science perspective: U.S. Geological Survey Professional Paper 1360, p. 43–91.

[Questions or comments?](#)

[Facebook](#) [Twitter](#) [Google](#) [Email](#)

[Hazards](#)

[Design Ground Motions](#)[Seismic Hazard Maps & Site-Specific Data](#)[Faults](#)[Scenarios](#)

[Earthquakes](#)[Hazards](#)[Data](#)[Education](#)[Monitoring](#)[Research](#)

[Home](#)[About Us](#)[Contacts](#)[Legal](#)