## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Crablouse Ravine fault (Class A) No. 208

**Last Review Date: 2017-07-01** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 208, Crablouse Ravine fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:22 PM.

Synopsis		
Name comments		
County(s) and State(s)	PLUMAS COUNTY, CALIFORNIA	
Physiographic province(s)	CASCADE-SIERRA MOUNTAINS	
Reliability of location		
	Comments: Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to map by Page and Sawyer (2004); map scale is unspecified.	

<b>Geologic setting</b>		
Length (km)	km.	
Average strike		
Sense of movement	Unspecified	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma)  Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#8225 Page, W.D., and Sawyer, T.L., 2004, Overview of late Cenozoic faulting in the Sierra Nevada Foothills (including a reassessment of faults near New Bullards Bar Dam): Unpublished Report for Pacific Gas and Electric, 28 p.	

## Questions or comments?

Facebook Twitter Google Email

**Hazards** 

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal