Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Blake Ranch fault (Class A) No. 322

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 322, Blake Ranch fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:51 PM.

Synopsis	
Name comments	
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Compiled at 1:24,000 scale. Comments:
Geologic setting	
Length (km)	km.

Average strike	
Sense of movement	Right lateral
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017
References	#8001 Bryant, W.A., 1987, Mirage Valley, Blake Ranch, and related faults, San Bernardino and Los Angeles counties: California Division of Mines and Geology Fault Evaluation Report FER-190, 9 p., in Fault Evaluation Reports Prepared Under the Alquist-Priolo Earthquake Fault Zoning Act, Region 2 – Southern California: California Geological Survey CGS CD 2002-02 (2002). #2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>	_			
Design Ground M	otionsSeismic Hazard	d Maps & Site-S	pecific DataFar	ultsScenarios
	dsDataEducationMor	•	•	
Search	Search			
HomeAbout UsCo	ontactsLegal			