## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Walnut Creek fault (Class A) No. 333

**Last Review Date: 2017-05-15** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 333, Walnut Creek fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:51 PM.

Synopsis		
Name comments		
County(s) and State(s)	LOS ANGELES COUNTY, CALIFORNIA	
Physiographic province(s)	PACIFIC BORDER	
•	Poor Compiled at 1:100,000 scale.	
	Comments: Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to Morton and Miller (2003).	

<b>Geologic setting</b>		
Length (km)	19 km.	
Average strike		
Sense of movement	Unspecified	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma)  Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#8213 Morton, D.M., and Miller, F.K., 2003, Preliminary geologic map of the San Bernardino 30' x 60' quadrangle, California: U.S. Geological Survey Open-File Report 03-293, scale 1:100,000.	

## Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>

<u>Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios</u> <u>EarthquakesHazardsDataEducationMonitoringResearch</u>

*	
Search	Search

HomeAbout UsContactsLegal