Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Arroyo Aguague fault (Class A) No. 369

Last Review Date: 2017-07-01

citation for this record: Bryant, W.A., compiler, 2017, Fault number 369, Arroyo Aguague fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:10 PM.

Synopsis	
Name comments	
County(s) and State(s)	CALIFORNIA
Physiographic province(s)	
Reliability of location	Compiled at 1:24,000 scale. Comments:
Geologic setting	

Length (km)	km.
Average strike	
Sense of movement	Reverse
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#8105 Graymer, R.W., Jones, D.L., and Brabb, E.E., 1995, Geologic map of the Hayward fault zone, Contra Costa, Alameda, and Santa Clara counties, California: A Digital Database: U.S. Geological Survey Open-File Report 95-597, scale 1:50,000.
	#2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

Questions or comments?

Facebook Twitter Google Email Hazards

D	<u>esig</u> i	n Ground	l MotionsSei	ismic Hazaı	d Maps	& Site-S	<u>Specific</u>	DataFaul	tsScenarios)
EarthquakesHazardsDataEducationMonitoringResearch										
					C	,				

Search... Search
HomeAbout UsContactsLegal