Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Sheephole fault (Class A) No. 390

Last Review Date: 2017-05-15

citation for this record: Bryant, W.A., compiler, 2017, Fault number 390, Sheephole fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:11 PM.

Synopsis	
Name comments	
County(s) and State(s)	SAN BERNARDINO COUNTY, CALIFORNIA
Physiographic province(s)	BASIN AND RANGE
Reliability of location	Good Compiled at 1:100,000 scale. Comments: Location of fault from Qt_flt_ver_3- 0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to Howard (2002).

Geologic setting	
Length (km)	18 km.
Average strike	
Sense of movement	
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) Comments:
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#8145 Howard, K. A., 2002, Geologic map of the Sheep Hole Mountains 30' x 60', San Bernardino and Riverside, Counties, California: U.S. Geological Survey Miscellaneous Field Studies Map MF-2344, scale 1:100,000.

Questions or comments?

Facebook Twitter Google Email

Hazards

Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios
EarthquakesHazardsDataEducationMonitoringResearch

Search	Search
--------	--------

