Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the **interactive fault map.**

Bald Mountain graben (Class A) No. 413

Last Review Date: 2017-07-01

citation for this record: Bryant, W.A., compiler, 2017, Fault number 413, Bald Mountain graben, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:09 PM.

Synopsis	
Name comments	
County(s) and State(s)	MONO COUNTY, CALIFORNIA
Physiographic province(s)	BASIN AND RANGE
Reliability of location	Good Compiled at 1:62,500 scale. *Comments:* Location of fault from Qt_flt_ver_3-0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to 1:62,500-scale map by Bailey (1989).

Geologic setting	
Length (km)	17 km.
Average strike	
Sense of movement	Normal
Dip Direction	SW; NE
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	undifferentiated Quaternary (<1.6 Ma) *Comments:*
Recurrence interval	
Slip-rate category	Unspecified
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey
References	#5577 Bailey, R.A., 1989, Geologic map of the Long Valley caldera, Mono-Inyo craters volcanic chain and vicinity, eastern California: U.S. Geological Survey Miscellaneous Investigations Series Map I-1933, scale 1:62,500. #2878 Jennings, C.W., 1994, Fault activity map of California and adjacent areas, with locations of recent volcanic eruptions: California Division of Mines and Geology Geologic Data Map 6, 92 p., 2 pls., scale 1:750,000.

Questions or comments?

Hazards

Search... Search

Hazards