## Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

## Mount Eden fault (Class A) No. 418

**Last Review Date: 2017-05-15** 

citation for this record: Bryant, W.A., compiler, 2017, Fault number 418, Mount Eden fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website,

https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:09 PM.

Synopsis	
Name comments	
County(s) and State(s)	RIVERSIDE COUNTY, CALIFORNIA
Physiographic province(s)	PACIFIC BORDER
Reliability of location	Compiled at 1:unspecified scale.  Comments: Location of fault from Qt_flt_ver_3- 0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to Riverside County (2001).

<b>Geologic setting</b>		
Length (km)	7 km.	
Average strike		
Sense of		
movement		
Dip		
Paleoseismology		
studies		
Geomorphic		
expression		
Age of faulted		
surficial		
deposits		
Historic		
earthquake		
Most recent	undifferentiated Quaternary (<1.6 Ma)	
prehistoric		
deformation	Comments:	
Recurrence		
interval		
Slip-rate	Unspecified	
category	3 F	
	2017	
Compiler(s)	William A. Bryant, California Geological Survey	
References #	#8239 Riverside County, compiler, 2001, GIS files of recently	
	active faults in Riverside County, California: Riverside County,	
ľ	unpublished digital compilation of recently active faults.	

## Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>

Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios EarthquakesHazardsDataEducationMonitoringResearch

7	
Search	Search

