

Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Carneros fault (Class A) No. 507

Last Review Date: 2017-07-01

citation for this record: Bryant, W.A., compiler, 2017, Fault number 507, Carneros fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 03:07 PM.

Synopsis	
Name comments	
County(s) and State(s)	SANTA BARBARA COUNTY, CALIFORNIA
Physiographic province(s)	PACIFIC BORDER
Reliability of location	Good Compiled at 1:24,000 scale. Comments: Location of fault from Qt_flt_ver_3- 0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017).
Geologic setting	

Length (km)	2 km.	
Average strike		
Sense of movement	Reverse, Left lateral	
Dip		
Paleoseismology studies		
Geomorphic expression		
Age of faulted surficial deposits		
Historic earthquake		
Most recent prehistoric deformation	late Quaternary (<130 ka) Comments:	
Recurrence interval		
Slip-rate category	Unspecified	
Date and Compiler(s)	2017 William A. Bryant, California Geological Survey	
References	#8207 Minor, S.A., Kellogg, K.S., Stanley, R.G., Gurrola, L.D., Keller, E.A., and Brandt, T.R., 2009, Geologic map of the Santa Barbara coastal plain area, Santa Barbara County, California: U.S. Geological Survey Scientific Investigations Map 3001, scale 1:24,000.	

Questions or comments?

Facebook Twitter Google Email

<u>Hazards</u>

Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios EarthquakesHazardsDataEducationMonitoringResearch

Search	Search
--------	--------

