Quaternary Fault and Fold Database of the United States

As of January 12, 2017, the USGS maintains a limited number of metadata fields that characterize the Quaternary faults and folds of the United States. For the most up-to-date information, please refer to the <u>interactive fault map</u>.

Cedar Roughs fault (Class A) No. 745

Last Review Date: 2017-07-01

citation for this record: , compiler, 2017, Fault number 745, Cedar Roughs fault, in Quaternary fault and fold database of the United States: U.S. Geological Survey website, https://earthquakes.usgs.gov/hazards/qfaults, accessed 12/14/2020 02:02 PM.

Synopsis	
Name comments	
County(s) and State(s)	NAPA COUNTY, CALIFORNIA
Physiographic province(s)	CASCADE-SIERRA MOUNTAINS
Reliability of location	Good Compiled at 1:12,000 scale. Comments: Location of fault from Qt_flt_ver_3- 0_Final_WGS84_polyline.shp (Bryant, W.A., written communication to K.Haller, August 15, 2017) attributed to
	1:12,000-scale map by Wagner (1975).

Geologic setting	
Length (km)	9 km.
Average strike	
Sense of movement	Unspecified
Dip	
Paleoseismology studies	
Geomorphic expression	
Age of faulted surficial deposits	
Historic earthquake	
Most recent prehistoric deformation	Unspecified Comments:
Recurrence interval	
Slip-rate category	Insufficient data
Date and Compiler(s)	2017
References	#5312 Wagner, D.L., 1975, Geologic map and sections of the Walter Springs area, Napa County, California: San Jose, California State University, unpublished M.S. thesis, 68 p., scale 1:12,000.

Questions or comments?

Facebook Twitter Google Email

Hazards

Design Ground MotionsSeismic Hazard Maps & Site-Specific DataFaultsScenarios EarthquakesHazardsDataEducationMonitoringResearch

Search	Search
--------	--------

